



 **KIMBER KABLE**® [www.kimber.com](http://www.kimber.com)

music in harmony with science since 1979

# Kimber Kable

For over three decades, Kimber Kable has led the audio/video cable industry in technology and precision manufacturing. Today, we are more committed than ever to producing products of preeminent technical merit and performance.

Kimber Kable products are created using our own OSCaR™ engineering process. OSCaR™ stands for Objective Subjective Correlation and Results. Through this process we make the estimable and critical link between scientific measurements and listening impressions. This process is aided in great measure by our exceptionally advanced test and research facility, which is regarded as one of the most well equipped in the audio industry. In addition, Kimber Kable has a vast research library which allows our engineering team access to past research as well as the latest technologies.

Our passion for cables is rooted in a simple philosophy: develop and manufacture products that offer the highest correlation of performance and price. To reach this goal with each of our products requires extraordinary dedication, engineering and team work. This philosophy has required us to invest a large percentage of our resources in technological developments, in-depth research and innovative manufacturing techniques.

Our hope is that the cables presented in this brochure help to enrich your home entertainment experience. If your passion for music or video presentation increases, as has ours, then we have done our job. There is nothing quite like experiencing a musical performance presented with all of music's natural timbre, lifelike tonality and dimensional locale. These experiences have changed our lives and persuaded us to make the reproduction of audio and video our lifelong pursuit.

Ray Kimber



# Handcrafted cables since 1979



What do we do here at Kimber Kable? The same thing we've been doing for over 30 years; making some of the finest audio and video cables available.

We make cables for the neophyte who wants to hear their music more naturally, the college student who finally has a Hi-fi system of their own, the guy who delights in finding the best bang for the buck, and the discerning buyer who wants the very best. We have all traveled through these categories at some point and Kimber Kable makes something for everyone.

It seems that there is a push in the manufacturing world to produce goods faster and cheaper at the cost of overall quality. We are bucking the trend and choosing to stay true to the science and methods that have sustained us for all these years. The fact is that our cables cover a wide price and performance range. We have always sought to deliver the industry's highest value at any given price and are constantly seeking improvement without losing sight of our roots. Our forward thinking and innovation keep us relevant without requiring complete reinvention.

The techniques we use to make everything from our entry level Tonik interconnect to the Kimber Select range of cables are similar. The materials and methods get more complex as you go up the line, but the basic motions remain the same. We've never found an automated method to serve as a viable replacement for the hands of skilled craftsmen. Genuine Kimber Kable products have always come from our factory in Ogden Utah. We are proud to know that our name represents the same thing to every customer: performance, quality, reliability, and integrity.



# Audio Interconnects *(Balanced versions available)*



## Tonik

PE dielectric  
VariStrand™  
copper  
Tri-braid  
geometry

## PBJ

Red, Blue & Black  
FEP\* dielectric

VariStrand™ copper  
Tri-braid geometry

## Timbre

Clear FEP\*  
dielectric

## Cadence

Subwoofer Cable  
Stranded copper  
center conductor  
100% copper  
shield

## Hero

Dual FEP\*  
dielectric  
VariStrand™  
copper

## Hero HB

Black & Clear  
FEP\* dielectric  
VariStrand™  
copper & silver

## Hero AG

Clear FEP\*  
dielectric  
VariStrand™  
silver

GyroQuadratic braid geometry

## Silver Streak

Black & Clear  
FEP\* dielectric  
VariStrand™  
copper & silver  
Tri-braid geometry

## KCAG

Clear FEP\* dielectric

VariStrand™ Silver  
Tri-braid  
geometry

## KCTG

Hex-braid  
geometry

\*FEP=fluorocarbon

# Audio Interconnects



## Tak CU

White & Yellow  
FEP\* dielectric

VariStrand™ copper

## Tak H

Black & Clear  
FEP\* dielectric

VariStrand™ copper & silver

## Tak AG

Clear FEP\*  
dielectric

VariStrand™ silver

## GQ-Mini CU

White & Yellow  
FEP\* dielectric

VariStrand™ copper

## GQ-Mini HB

Black & Clear  
FEP\* dielectric

VariStrand™ copper & silver

## GQ-Mini AG

Clear FEP\*  
dielectric

VariStrand™ silver

GyroQuadratic braid geometry, CuBe2 shielding, Phono/tone arm cable

GyroQuadratic braid geometry

\*FEP=fluorocarbon

# Digital / Video Interconnects



## SV-CU

White & yellow  
FEP\* dielectric  
Solid core copper

Twin Tri-braid geometry

CuBe2 shielding

## SV-AG

Clear FEP\*  
dielectric  
Solid core silver

## V-21

PE dielectric  
Solid core copper  
center conductor

## DV-30

Air-articulated  
FEP\* dielectric  
Solid core copper  
center conductor

Wire & foil shields

## D-60

Air-articulated  
FEP\* dielectric  
All silver  
construction

Twin helically  
wound shields

## OPT1

Toslink™ Cable  
PMMA light  
conductor

Warp resistant  
thermal barrier

## Orchid

FEP\* dielectric  
All silver  
construction

Proprietary  
geometry

## AGDL

Clear FEP\* dielectric  
VariStrand™ Silver conductors

Tri-braid  
geometry

## TGDL

Hex-braid  
geometry

\*FEP=fluorocarbon

# Digital / Video Interconnects



**HD09e**

**HD19e**

**HD29**

Air-articulated PE dielectric

Pure copper  
conductors

Silver plated  
pure copper  
conductors

Silver plated(6.1%)  
pure copper  
conductors

High Speed rated  
with Ethernet

High speed rated  
with Ethernet

High Speed rated

**B-BUS**

**Mini**

Nitrogen injected HDPE dielectric

Silver plated(6.1%) signal conductors

Copper drain & shield wire

Point to point grounding

Ferrite noise reduction beads

**B-BUS AG**

**Mini AG**

Nitrogen injected HDPE dielectric

Pure silver signal conductors

Silver-plated(6.1%) drain & shield wire

Point to point grounding

Ferrite noise reduction beads optional

# Loudspeaker Cables



**KWIK16**

**KWIK12**

Special formula PE dielectric

Stranded copper

Dual gauge stranded construction

2 x 16awg

2 x 12awg

**4PR**      **8PR**

PE dielectric

Stranded copper

8 wire braid      16 wire braid

2 x 14awg

2 x 10awg

**4VS**

**8VS**

**12VS**

PE dielectric

VariStrand™ copper

8 wire braid

16 wire braid

24 wire braid

2 x 13awg

2 x 9awg

2 x 8awg

**4TC**

**8TC**

**12TC**

Clear & white FEP\* dielectric

VariStrand™ copper

8 wire braid

16 wire braid

24 wire braid

2 x 13awg

2 x 9awg

2 x 8awg

\*FEP=fluorocarbon

# Loudspeaker Cables



## TriFocal XL

PE & FEP\* dielectric  
VariStrand™ copper  
X38R compound

2 x 3awg  
42 discrete conductors



## BiFocal X

PE & FEP\* dielectric  
VariStrand™ copper  
X38R compound

2 x 9awg  
18 discrete conductors



## BiFocal XL

2 x 5.5awg  
36 discrete conductors



## Monocle X

PE & FEP\* dielectric  
VariStrand™ copper  
X38R compound

2 x 10awg  
16 discrete conductors



## Monocle XL

2 x 8awg  
24 discrete conductors

\*FEP=fluorocarbon

# PowerKords



## PK14

Chroma free dielectric, Stranded copper, 3 x 14awg

Wattgate Economy  
connectors

## PK14 Gold

Wattgate Audio Grade gold  
or silver connectors

## PK14 Palladian

Wattgate Audio Grade gold  
or silver connectors

Proprietary noise  
suppression technology

## PK10

Chroma free dielectric, Stranded copper, 3 x 10awg

Wattgate Economy  
connectors

## PK10 Gold

Wattgate Audio Grade gold  
or silver connectors

## PK10 Palladian

Wattgate Audio Grade gold  
or silver connectors

Proprietary noise  
suppression technology

**VSSS**

PE colors: black,  
gray, white, clear

VariStrand™  
copper

19awg

**TCX**

FEP\* colors: black, brown, red,  
orange, yellow, green,  
blue, violet, gray, white, clear†

X-VariStrand™  
copper

15awg

**TCSS**

VariStrand™  
copper

19awg

**10kTCSS**

FEP\* colors:  
black, red, blue

VariStrand™  
copper

19awg

**SF23**

FEP\* colors:  
clear

Solid flat  
copper

23awg

**DTC23**

Dual FEP\* colors:  
red, orange

Solid core  
copper

23awg

**DTC19**

Dual FEP\*  
colors: black,  
red, white

VariStrand™  
copper

19awg

**CU25SC**

FEP\* colors:  
white, clear

Solid core  
copper

25awg

**AGSS**

FEP\* colors:  
clear

VariStrand™  
silver

20awg

**AG25SC**

FEP\* colors:  
clear

Solid core  
silver

25awg

# Connectors

Visit [www.kimber.com](http://www.kimber.com) or call (801-621-5530) to find out which termination options are available per product.



"T" type\*



BNC type\*



Female



Digital



Black



Standard



Ultralike



XLR type\* 1/4" Phono\*



Nickel  
Plated




1/8" Mini\*

Gold  
Plated



WBET-0114



CU

WBET-0102

AG



REL  
subwoofer



SME 90° DIN



DIN



PAL\*



KRELL  
CAST

\*Male and female versions available



Spade



SBAN



PM25

Postmaster



PM33



PMN3



PM25



PM33



PMN3

Postmaster CU



WB0644



WB0600



WB0645



WB0610



CU

AG



WB0661



CU



CU



WB0681

AG



360i



5266i



Wattgate Economy

320i



320i HC



390i AG



330i AG



350i AG



350i HC AG



330i



350i



350i HC

Wattgate Audio Grade Gold

Wattgate Audio Grade Silver

Note: connectors are not to scale



 KIMBER KABLE

*Select*

[www.kimber.com](http://www.kimber.com)

music in harmony with science since 1979

# Select story

In 1979 Ray Kimber introduced Kimber Kable and 4PR loudspeaker cable to the world. This catalog, featuring our latest Kimber Select products, is evidence of our continuing quest to manufacture the finest cable products.

Utilizing our OSCaR (*Objective, Subjective, Correlation, and Results*) engineering process, Kimber Select represents the pinnacle of research regarding signal propagation and the environment in which it exists. Kimber Select is an evolving realization of new discoveries and the expression of superior ideals.

The quality of personal involvement and passion present within Kimber Select and Kimber Kable ensures continuing innovation and exploration into the transfer of musical signals.

Kimber Kable's ability to research and develop products based on correct and identifiable principles is essential. It is the correlation of these objective findings to the subjective, musical performance of the product that ensures Kimber Kable the position of industry leader and preeminent innovator.

Ray Kimber and the Kimber Select design and production teams invite you to experience the emotion and precision of Kimber Select.

Call (801-621-5530) or email ([info@kimber.com](mailto:info@kimber.com)) us to locate an exclusive Kimber Select retailer in your area. [www.kimber.com](http://www.kimber.com)



## Single ended



Kimber Select single ended analog interconnects are exquisite. Conductors are applied to the surface of our proprietary core and held in a constrained matrix. The matrix, consisting of our ESD yarn, is applied simultaneously with the conductors to ensure precise geometric relationships.

## Balanced



Kimber Select balanced analog interconnects are designed specifically for differential signal transmission. Grounding is established via a dual concentric core. EMI and RFI rejection is accomplished through precise electric/geometric relationships and not through the use of signal distorting metallic screens.

## Loudspeaker



Kimber Select loudspeaker cables represent the culmination of all research and development efforts. Our unique constrained matrix geometry is woven over proprietary X38R core to provide both mechanical and electrical dampening beyond what was ever thought possible.

## Phono/tone arm



Kimber Select phono cables utilize constrained matrix geometry and proprietary core technology. A flying ground lead is then hand woven to complete the most exacting cable. Available in RCA to RCA as well as DIN configurations in copper, hybrid and full silver.

## Digital



Kimber Select digital cables are optimized for binary transmission. Solid core silver conductors and ESD yarn in constrained matrix geometry provide the deep black backgrounds that today's digital sources demand.

## Jumpers



Kimber Select jumpers provide that critical last link in the signal path. The jumpers are comprised of the same exacting materials as Kimber Select loudspeaker cables to allow perfect signal transmission from start to end.

# Single ended Interconnects

## KS 1011

Clear FEP\* dielectric

Solid core copper

Constrained matrix  
geometry

4 discrete conductors



## KS 1021

Clear FEP\* dielectric

Solid core  
copper & silver

Constrained matrix  
geometry

4 discrete conductors



## KS 1030

Clear FEP\* dielectric

Solid core silver

Constrained matrix  
geometry

4 discrete conductors



\*FEP=fluorocarbon

## Single ended Interconnects



### KS 1016

Clear FEP\* dielectric  
Solid core copper  
Constrained matrix  
geometry  
6 discrete conductors



### KS 1026

Clear FEP\* dielectric  
Solid core  
copper & silver  
Constrained matrix  
geometry  
6 discrete conductors



### KS 1036

Clear FEP\* dielectric  
Solid core silver  
Constrained matrix  
geometry  
6 discrete conductors

\*FEP=fluorocarbon

# Balanced Interconnects

## KS 1111

Clear FEP\* dielectric

Solid core copper

Constrained matrix geometry

4 discrete conductors



## KS 1121

Clear FEP\* dielectric

Solid core copper & silver

Constrained matrix geometry

4 discrete conductors



## KS 1130

Clear FEP\* dielectric

Solid core silver

Constrained matrix geometry

4 discrete conductors



\*FEP=fluorocarbon

## Balanced Interconnects



### KS 1116

Clear FEP\* dielectric  
Solid core copper  
Constrained matrix  
geometry  
6 discrete conductors



### KS 1126

Clear FEP\* dielectric  
Solid core  
copper & silver  
Constrained matrix  
geometry  
6 discrete conductors



### KS 1136

Clear FEP\* dielectric  
Solid core silver  
Constrained matrix  
geometry  
6 discrete conductors

\*FEP=fluorocarbon

# Loudspeaker Cables

## KS 3033

Clear FEP\* dielectric  
VariStrand™ copper  
Constrained matrix  
geometry  
12 discrete conductors



## KS 3035

Clear FEP\* dielectric  
VariStrand™  
copper & silver  
Constrained matrix  
geometry  
12 discrete conductors



## KS 3038

Clear FEP\* dielectric  
VariStrand™ silver  
Constrained matrix  
geometry  
12 discrete conductors



\*FEP=fluorocarbon

# Loudspeaker Cables



## KS 6063

Clear FEP\* dielectric

VariStrand™ &  
solid core copper

Multi-layer constrained  
matrix geometry

24 discrete conductors



## KS 6065

Clear FEP\* dielectric

VariStrand™ & solid core  
copper & silver

Multi-layer constrained  
matrix geometry

24 discrete conductors



## KS 6068

Clear FEP\* dielectric

VariStrand™ &  
solid core silver

Multi-layer constrained  
matrix geometry

24 discrete conductors

\*FEP=fluorocarbon

# Jumpers

## KS 9033

Clear FEP\* dielectric  
VariStrand™ copper  
Hex-braid geometry



## KS 9035

Clear FEP\* dielectric  
VariStrand™  
copper & silver  
Hex-braid geometry



## KS 9038

Clear FEP\* dielectric  
VariStrand™ silver  
Hex-braid geometry



\*FEP=fluorocarbon

## Phono & Digital Cables

### KS 1230 or KS1236

Clear FEP\* dielectric

Solid core silver

Constrained matrix geometry

KS 1236

8 discrete conductors

KS 1230

5 discrete conductors

KS 1236 pictured



### KS 2020

Clear FEP\* dielectric

Solid core silver

Digital single ended interconnect



### KS 2120

Clear FEP\* dielectric

Solid core silver

Digital balanced interconnect



\*FEP=fluorocarbon